

MAKE YOUR PRESENCE FELT EFFORTLESSLY. BREAK BOUNDARIES WITH GRACE. BE POISED. MAKE A SOPHISTICATED STATEMENT. WHEREVER YOU ARE, FIND TRANQUILLITY.

90 OCEAN

THE AWARD-WINNING 90 OCEAN WILL SURPRISE AND DELIGHT OWNERS AND GUESTS ALIKE. EVERY CAREFULLY CONSIDERED DETAIL ELEVATES ITS SENSE OF SUPERIORITY BEYOND ALL EXPECTATIONS COURTESY OF WIDE OPEN-PLAN SPACES WHICH EVOKE AN IMPRESSIVE PENTHOUSE-STYLE. A STEM BOW AND BROAD BEAM IMMEDIATELY SIGNAL ITS AMBITIOUS INTENTIONS WITH A VAST FLYBRIDGE AND AN ENHANCED NEW BEACH CLUB COMPLETE WITH X-TEND[™] SEATING, BRINGING GUESTS CLOSER TO THE WATER THAN EVER BEFORE.







DRIVES SHAFTS

RANGE @ 10-12 KNOTS UP TO 1,100 NAUTICAL MILES

MAXIMUM SPEED 27 KNOTS

ENGINE OPTIONS MAN UP TO 3,800 PS

ACCOMMODATION UP TO 10 GUESTS & 4 CREW

GREY WATER CAPACITY 1,250 LITRES / 300 US GAL.

BLACK WATER CAPACITY 800 LITRES / 211 US GAL.

FRESH WATER CAPACITY 1,500 LITRES / 400 US GAL.

FUEL CAPACITY 13,000 LITRES / 3,434 US GAL.

DISPLACEMENT 82,300 KG / 181,440 LB

DRAFT 1.94 M / 6' 4"

BEAM 7.16M / 23' 6"

LENGTH OVERALL 27.10M / 88'11"

PRINCIPAL CHARACTERISTICS















































EXTERIOR PLAN



MAIN DECK



LOWER DECK



Whilst every effort has been made to provide accurate information, the content of this e-brochure is not intended to be, and should not be relied upon as providing, any warranty, representation, guarantee, or offer. Performance and range figures are estimates to be used as an indicative guide only and are not guaranteed. Dirt or marine growth on the hull, size of boat, engine choice and tuning, propeller condition and pitch, air and water temperature, fuel weight and quality, water weight, stores, number of people on board and other factors can each affect a boat's performance and range. The photographs and artist's impressions in this e-brochure are from existing models in the Sunseeker range. There may be items shown in these photographs and impressions that are not included in the standard inventory of the models shown. Specifications, measurements and certain other details contained in this e-brochure may relate to models only for sale in a particular territory. We cannot guarantee that the entire Sunseeker range will be available in every territory. Specifications for models sold in different territories may also vary. Specifications may be changed or models withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the order process and confirmed in the sales contract between the purchaser and the approved Sunseeker distributor or dealer in the relevant territory. Please contact the local Sunseeker distributor or dealer in the territory which is of interest to you, to enquire as to the models and options that are likely to be available in the United Kingdom by or on behalf of Sunseeker International Ltd and subject to the limitations and exclusions set out herein provides information relating to new Sunseeker models for sole of the United States or Canada please contact a Sunseeker models for sole of the United States or Canada. For parties requiring information on new Sunseeker models for sale in the United States or Canada please contact a Sunseeke

Information about how we use personal data is set out in our Privacy Policy at https://www.sunseeker.com/legal